

	Type	L #	Hits	Search Text	DBs	Time Stamp	Error Cor m e n t s	Errors
1	BR S	L1	17	359/719.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:49		0
2	BR S	L2	0	359/736.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:43		0
3	BR S	L3	7	359/793.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:43		0
4	BR S	L4	2	359/794.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:43		0
5	BR S	L5	2	359/795.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:43		0
6	BR S	L6	6	359/796.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:51		0
7	BR S	L7	15	3 or 4 or 5 or 6	USPAT; US-PGPUB	2003/07/2 8 15:44		0
8	BR S	L8	15	7 not 1	USPAT; US-PGPUB	2003/07/2 8 15:45		0
9	IS &R	L9	1	("5024509").PN.	USPAT; US-PGPUB	2003/07/2 8 15:45		0
10	BR S	L1 0	2	("4662717" "4957341").PN.	USPAT	2003/07/2 8 15:46		0
11	BR S	L1 1	4	5024509.URPN.	USPAT	2003/07/2 8 15:45		0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
12	BR S	L1 2	14	("1808208" "2314838" "2549541" "2791454" "3049613" "3244354" "3347134" "3409348" "3514188" "3580663" "3596822" "3645758" "3873188" "4046408").PN.	USPAT	2003/07/2 8 15:46		0
13	BR S	L1 3	17	4662717.URPN.	USPAT	2003/07/2 8 15:46		0
14	BR S	L1 4	4301 9	outer adj circumference	USPAT; US-PGPUB	2003/07/2 8 15:52		0
15	BR S	L1 5	6012 1	outer adj portion	USPAT; US-PGPUB	2003/07/2 8 15:52		0
16	BR S	L1 6	1030 5	outer adj flange	USPAT; US-PGPUB	2003/07/2 8 15:53		0
17	BR S	L1 7	1095 22	14 or 15 or 16	USPAT; US-PGPUB	2003/07/2 8 15:47		0
18	BR S	L1 8	32	1 or 2 or 3 or 4 or 5 or 6	USPAT; US-PGPUB	2003/07/2 8 15:47		0
19	BR S	L1 9	1	17 and 18	USPAT; US-PGPUB	2003/07/2 8 15:47		0
20	BR S	L2 0	1917 63	first with second with (bonded or cement\$2 or attach\$5)	USPAT; US-PGPUB	2003/07/2 8 15:53		0
21	BR S	L2 1	7	18 and 20	USPAT; US-PGPUB	2003/07/2 8 15:48		0

	Type	L #	Hits	Search Text	DBs	Tim Stamp	Error Comments	Errors
22	BR S	L2 4	5	359/668.ccls. and @pd>=20030401	USPAT; US-PGPUB	2003/07/2 8 15:51		0
23	IS &R	L2 5	44	(359/719).CCLS.	EPO; JPO; DERWENT	2003/07/2 8 15:52		0
24	IS &R	L2 6	258	(359/736,793-796, 668).CCLS.	EPO; JPO; DERWENT	2003/07/2 8 15:52		0
25	BR S	L2 7	3883 1	outer adj circumference	EPO; JPO; DERWENT	2003/07/2 8 15:52		0
26	BR S	L2 8	7993	outer adj portion	EPO; JPO; DERWENT	2003/07/2 8 15:52		0
27	BR S	L2 9	3104	outer adj flange	EPO; JPO; DERWENT	2003/07/2 8 15:53		0
28	BR S	L3 0	4980 9	27 or 28 or 29	EPO; JPO; DERWENT	2003/07/2 8 15:53		0
29	BR S	L3 1	0	26 and 30	EPO; JPO; DERWENT	2003/07/2 8 15:53		0
30	BR S	L3 2	4966 7	first with second with (bonded or cement\$2 or attach\$5)	EPO; JPO; DERWENT	2003/07/2 8 15:53		0
31	BR S	L3 3	4	26 and 32	EPO; JPO; DERWENT	2003/07/2 8 15:53		0